Sustento del uso justo de Materiales Protegidos

derechos de autor para fines educativos



Universidad para la Cooperación Internacional

UCI Sustento del uso justo de materiales protegidos por derechos de autor para fines educativos

El siguiente material ha sido reproducido, con fines estrictamente didácticos e ilustrativos de los temas en cuestión, se utilizan en el campus virtual de la Universidad para la Cooperación Internacional – UCI – para ser usados exclusivamente para la función docente y el estudio privado de los estudiantes pertenecientes a los programas académicos.

La UCI desea dejar constancia de su estricto respeto a las legislaciones relacionadas con la propiedad intelectual. Todo material digital disponible para un curso y sus estudiantes tiene fines educativos y de investigación. No media en el uso de estos materiales fines de lucro, se entiende como casos especiales para fines educativos a distancia y en lugares donde no atenta contra la normal explotación de la obra y no afecta los intereses legítimos de ningún actor.

La UCI hace un USO JUSTO del material, sustentado en las excepciones a las leyes de derechos de autor establecidas en las siguientes normativas:

a- Legislación costarricense: Ley sobre Derechos de Autor y Derechos Conexos, No.6683 de 14 de octubre de 1982 - artículo 73, la Ley sobre Procedimientos de Observancia de los Derechos de Propiedad Intelectual, No. 8039 – artículo 58, permiten el copiado parcial de obras para la ilustración educativa.

b- Legislación Mexicana; Ley Federal de Derechos de Autor; artículo 147.

c- Legislación de Estados Unidos de América: En referencia al uso justo, menciona: "está consagrado en el artículo 106 de la ley de derecho de autor de los Estados Unidos (U.S,Copyright - Act) y establece un uso libre y gratuito de las obras para fines de crítica, comentarios y noticias, reportajes y docencia (lo que incluye la realización de copias para su uso en clase)."

d- Legislación Canadiense: Ley de derechos de autor C-11– Referidos a Excepciones para Educación a Distancia.

e- OMPI: En el marco de la legislación internacional, según la Organización Mundial de Propiedad Intelectual lo previsto por los tratados internacionales sobre esta materia. El artículo 10(2) del Convenio de Berna, permite a los países miembros establecer limitaciones o excepciones respecto a la posibilidad de utilizar lícitamente las obras literarias o artísticas a título de ilustración de la enseñanza, por medio de publicaciones, emisiones de radio o grabaciones sonoras o visuales.

Además y por indicación de la UCI, los estudiantes del campus virtual tienen el deber de cumplir con lo que establezca la legislación correspondiente en materia de derechos de autor, en su país de residencia.

Finalmente, reiteramos que en UCI no lucramos con las obras de terceros, somos estrictos con respecto al plagio, y no restringimos de ninguna manera el que nuestros estudiantes, académicos e investigadores accedan comercialmente o adquieran los documentos disponibles en el mercado editorial, sea directamente los documentos, o por medio de bases de datos científicas, pagando ellos mismos los costos asociados a dichos accesos.



ScienceDirect



Integrated Pest Management (IPM) and One Health – a call for action to integrate

Timo Falkenberg^{1,2}, Sunday Ekesi³ and Christian Borgemeister¹



One Health (OH) has gained considerable prominence since the beginning of the 21st century, among others, driven by the recent epidemics and the increasing importance of zoonotic diseases. Yet, despite the holistic and multidimensional nature of OH, to date, most emphasis has been on the interactions between animal and human health, with considerably less attention to environmental and plant health. However, there is growing evidence that the challenges of climate change, growing food and nutritional insecurity, and biodiversity loss can best be addressed within the context of the OH framework. Conceptionally, Integrated Pest Management (IPM) could perfectly fit into such an approach, but historically, IPM has been practiced very much in a compartmentalized manner. New approaches such as Regenerative Agriculture and Sustainable Intensification offer solutions to how to successfully embed IPM into a OH framework.

Addresses

¹ Center for Development Research (ZEF), University of Bonn, Germany ² Institute for Hygiene and Public Health, University Hospital Bonn, Germany

³ International Centre of Insect Physiology and Ecology (icipe), Nairobi, Kenya

Corresponding author: Christian Borgemeister (cb@uni-bonn.de)

Current Opinion in Insect Science 2022, 53:100960

This review comes from a themed issue on $\ensuremath{\textbf{Special section on IPM}}$ in $\ensuremath{\textbf{Africa}}$

Edited by Thomas Dubois and Manuele Tam

https://doi.org/10.1016/j.cois.2022.100960

2214-5745/© 2022 Elsevier Inc. All rights reserved.


Introduction

One Health (OH) is a concept that has been introduced in the early 2000s and has been gaining popularity ever since. Global disease outbreaks such as severe acute respiratory disease, avian influenza, zika, and most recently COVID-19, have cemented OH in the policy agenda, accelerating various implementation initiatives across the globe. The OH concept is, however, not new but rather a rediscovery of the ancient idea of the interdependencies of human and animal health and their links to the health of ecosystems [1]. The classical depiction of OH consists of a triangle or triad of three interconnected circles, where the three pillars of OH are human, animal, and environmental health. Although plant health is explicitly mentioned in the definition of OH by the One Health Commission [2], it is traditionally not viewed as part of the triad of OH approaches [3••].

Because of its roots in veterinary medicine, the primary focus of the OH concept still lies with zoonotic diseases, seeking collaboration between human and veterinary medicine, along with their allied public health disciplines [4]. The integration of environmental sciences and ecology into OH revolves around the drivers of zoonotic disease spillovers, including land-use changes and biodiversity loss. Another key topic addressed by OH is antimicrobial resistance, where responsible use of therapeutics is required in the human and veterinary health sectors, as well as in agriculture [5]. A perspective on the latter is increasingly integrated into more contemporary OH concepts to strengthen the plant-health component within the traditional triad. This was spearheaded through the 'Tripartite Agreement', a collaboration between the World Health Organization, the World Animal Health Organization (WOAH, formerly OIE), and the Food and Agriculture Organization of the United Nations [6]. Finally, the most recent OH definition developed by the One Health High Level Expert Panel explicitly includes plants when laying out the aims of OH [7]. In this regard, the OH principle must recognize a 4 H paradigm by adding plant health to the triad. In fact, the "Berlin Principle of One Health", adopted in 2019, fully acknowledges the interconnectedness and interdependence of human, animal, plant, and environmental health [8••] (Figure 1).

Indeed, the OH concept has not only gained significant global attention, but has also been expanded thematically. With the increasing number of disciplines and policy dialogs on OH, its focus is rapidly advancing with more emphasis on the role of the environment, ecosystems, and plants for well-being and disease prevention $[8 \bullet , 9 \bullet \bullet]$. Climate-related disasters have major impacts on food and nutritional security and can contribute to biosecurity risks and disease outbreaks [10]. These subsequently jeopardize the stability of animal, plant, human, and environmental health. The accumulation of toxins and chemicals in the environment causes





Expanded One Health conceptualization. Addition of the plant-health sphere to the traditional One Health triad.

significant threats to human and animal populations, while simultaneously endangering the biodiversity and ecosystem integrity. Globally, consumers are encouraged to eat more fruits and vegetables, and consumption patterns are changing. Yet, this is associated with emerging pathogens in such fresh produces, highlighting the need for tackling food-safety issues within the context of OH [11]. For example, one of the top pathogens in leafy greens (cabbage, arugula, and kale) is Norovirus causing serious foodborne illnesses [12]. Hence, OH research into how agricultural practices influence pathogen transmission is urgently needed [11]. Moreover, five billion people in low- and middle-income countries are at risks of exposure to aflatoxins that originate from field- production practices and are exacerbated by insect pests during storage [13]. The inherent health consequences range from acute liver and kidney disease to liver cancer in humans and animals [13]. The concept of Integrated Pest Management (IPM) can tackle these issues and should be a central element in the OH framework. Clearly, IPM can be evaluated from an OH perspective, assessing the direct and indirect effects along the proposed four OH dimensions. However, IPM can also be conceptualized and planned as an OH intervention, where the interactions between different plant species, livestock, arthropods, and humans are optimized to achieve healthy plants, animals, and humans. In fact, food and health systems will be considered resilient within the context of OH if they can withstand shocks from pest and diseases, or rapidly bounce back

from epidemics or extreme weather events, and IPM should be central to such dynamics.

A systematic literature review using the terms "One Health and Integrated Pest Management" yielded only six results, none of which explicitly integrate OH and IPM. Owing to the paucity of studies within this domain, it is necessary to illustrate the existing interactions between IPM and the individual OH dimensions and briefly reflect on their possible integration.

The original concept of IPM was very much aligned with a contemporary OH philosophy. In the late 1950s, Stern et al. [14] underlined the "oneness of any environment, natural or man-made" and stressed that any single intervention against one member of such ecosystems needs to consider the ripple effects on others. Building upon this framework, nearly 40 years later, Lewis et al. [15] proposed a 'total system approach' that considers all members of a given environment and their complex interactions and which would serve as a functioning alternative to the 'silver bullet' solutions in conventional pest control. This would be the only possibility to counteract the escalating environmental and economic consequences of pest control in agriculture. To date, such a holistic concept has not been adopted by mainstream IPM [16]. Rather, a compartmentalized approach is still prevailing, focusing on one or two crucial actors in a given ecosystem and not its entirety. Traditionally, IPM projects have focussed on either substituting pesticides with nonchemical alternatives, or at least promoting a more rational and environmentally more conscious use of them.

In terms of the different dimensions of OH, clearly, the greatest focus of IPM has been on animal and plant health, and in particular on arthropod control. Numerous studies have demonstrated the detrimental effects of conventional, synthetic pesticide-based plant protection against nontarget arthropods, in particular beneficials such as parasitoids [17] and predators [18]. Hence, enhancing biological control through the direct use and/or conservation of beneficials has generally been the mainstake of IPM, and the overall effectiveness of this approach has been widely accepted [19••]. More recently, the negative impact of conventional pest control on important insect pollinators such as bees, especially the widespread use of neonicotinoid insecticides, has gained a lot of attention, both in the scientific and public discourse [20]. Consequently, pollination services have become an additional focus in IPM, leading some practitioners to advocate for the concept of Integrated Pest and Pollinator Management [21]. In a way, this strategy embraces an OH approach that encompasses animal, environment, plant, and human health. Less attention has been paid to the effects on the health of livestock as a consequence of excessive use of pesticides as well as fertilizers. Studies from India suggest that the dairy sector was negatively affected by such management practices, which were greatly promoted during the Green Revolution. This led to a deterioration of the animal health and to high levels of pesticide residues in milk [22]. Another example is the increasing environmental concerns on the widespread use of insecticides against tsetse flies, vectors of trypanosomes, the causal agents of nagana or animal trypanosomiasis, the economically most important disease of livestock in Africa, which has motivated research into environmentally more friendly control strategies [23].

The use of synthetic pesticides can impact human health, both through direct exposure and through consumption of contaminated food, and various negative health effects associated with chemical pesticides include dermatological, gastrointestinal, neurological, carcinogenic, respiratory, reproductive, and endocrine among others [24,25]. The use of pesticides in high-income countries is strictly regulated but considerably less so in low-income countries. Consequently, the 6th World One Health Congress strongly advocated IPM to be part of the OH approach covering the entire value chain — from cultivation, harvest, food processing, and safety, to distribution and access [26]. Recent studies demonstrate that the adoption of a comprehensive IPM program to control fruit fly pests in Kenya can generate considerable health benefits for growers [27]. And a detailed assessment of the impact of > 600 insecticides used for controlling the invasive fall armyworm (FAW) in Africa identified several chemicals that are both effective and pose low risks to human and environmental health and thus could become part of IPM for FAW control [28].

The question is now: how to integrate these various, compartmentalized approaches to IPM into a more holistic OH framework that embraces the different dimensions of the latter concept? As an attempted response to the global challenges, the notion of Regenerative Agriculture (RA) based on Sustainable Intensification (SI) is gaining traction [29••]. A recent large meta-analysis clearly demonstrated that agricultural diversification, a key component of RA and SI, not only promotes multiple ecosystems that are crucial to IPM, but also assures that yields are not compromised [30]. Moreover, nearly 1/3 of farms worldwide already successfully practice some aspects of SI and RA [31]. What is crucially needed at this point are practical agronomic approaches that not only address the increasing need to produce more food for the growing populations in the Global South, but at the same time address the concurrent threats to plant, environmental, human, and animal health in a global environment that is more and more challenged by the effects of climate change. One example that can tick all these boxes is the push-pull system for sustainable cereal production developed in East Africa. It not only significantly increases the yield of maize and other cereal crops, but also generates fodder. leads to improved food and nutritional security, greater availability of dairy and meat, improves soil health, mitigates aflatoxin contamination, and enhances biodiversity through biological pest and weed control [32]. However, scaling up such approaches will necessitate significant investment from various societal actors and most importantly the necessary political will at the national and international level.

Human and environmental crises that are frequently occurring together are creating unimaginable stressors on food systems and threaten the ability to produce sufficient healthy diets that are accessible to all. Mitigating these adversities will require strengthening the resilience of food systems and thinking in more integrated ways within the context of OH. Science and innovations that are central to IPM that embrace RA, SI, and circular economy, and that are fully anchored on the concept of OH, should strengthen plant health, enhance biodiversity, build up equity, and sustain food systems that are resilient to climate change and other shocks while also promoting better health for humans, plants, animals, and the environment. A sustainable and climate-resilient food system anchored in our understanding of OH and IPM will be key for achieving most of the Sustainable Development Goals.

Conflict of interest statement

The authors have no conflict of interest.

References and recommended reading

Papers of particular interest, published within the period of review, have been highlighted as:

- •• of outstanding interest
- Altier NA, Abreo E: One Health considerations in the international year of plant health. Agrocienc Urug 2020, 24:422.
- 2. One Health Commission: **What is One Health**. 2000. Available from: (https://www.onehealthcommission.org/en/why_one_health/what_ is_one_health/).
- 3. Rizzo DM, Lichtveld M, Mazet JAK, Togami E, Miller SA: Plant
- health and its effects on food safety and security in a One Health framework: four case studies. One Health Outlook 2021, 3:6, https://doi.org/10.1186/s42522-021-00038-7.

A review of 4 case studies demonstrating the public health relevance of plant health. The case studies highlight the need for collaboration and One Health.

- 4. Zinnstag J, Schelling E, Wyss K, Mahamat MB: Potential of cooperation between human and animal health to strengthen health systems. *Lancet* 2005, **366**:2142-2145.
- Robinson TP, Bu DP, Carrique-Mas EM, Fèvre M, Gilbert D, Grace S, Hay J, Jiwakanon M, Kakkar S, Kariuki R, Laxminarayan J, Lubroth U, Magnusson P, Thi Ngoc TP, Van Boeckel ME, Woolhouse J: Antibiotic resistance is the quintessential One Health issue. Trans R Soc Trop Med Hyg 2016, 110:377-380.
- FAO, OIE, WHO: The FAO-OIE-WHO Collaboration Sharing Responsibilities and Coordinating Global Activities to Address Health Risks at the Animal-human-ecosystems Interfaces: A Tripartite Concept Note. United Nations; 2020 (Available from), (https://www.who.int/foodsafety/zoonoses/final_concept_note_ Hanoi.pdf).
- FAO, OIE, WHO, UNDEP: Joint Tripartite (FAO, OIE, WHO) and UNEP Statement. United Nations; 2021 (Available from), (https:// www.fao.org/3/cb7869en/cb7869en.pdf).
- 8. Gruetzmacher K, Karesh WB, Amusi JH, Arshad A, Farlow A,
- Gabrysch S, Jetzkowitz J, Lieberman S, Palmer C, Winkler AS, Walzer C: The Berlin principles on one health - bridging global health and conservation. *Sci Total Environ* 2021, 764:142919.

The Berlin Principles are ten principles that form the foundation of One Health and aim to overcome the most important systemic policy and societal barriers.

9. Coghlan S, Coghlan BJ, Capon A, Singer P: A bolder One Health:
 expanding the moral circle to optimize health for all. One Health

Outlook 2021, **3**:1-4, https://doi.org/10.1186/s42522-021-00053-8. The article argues for an expansion of One Health and a bolder philosophy. Most importantly emphasising looking beyond the narrow focus of human interests by placing stronger emphasis on the diverse nonhuman inhabitants of our planet.

- Woldehanna S, Zimicki S: An expanded One Health model: integrating social science and One Health to inform study of the human-animal interface. Soc Sci Med 2015, 129:87-95.
- FAO, IFAD, UNICEF, WFP, WHO: The State of Food Security and Nutrition in the World 2018. Building Climate Resilience for Food Security and Nutrition. FAO; 2018 (Available from), (http:// www.fao.org/3/19553EN/i9553en.pdf).
- Garcia SN, Osborn BI, Ray-Russell MT: One health for food safety, food security and sustainable food production. Front Sustain Food Syst 2020, 4:1-9, https://doi.org/10.3389/fsufs.2020. 00001
- Callejon RM, Rodriguez-Naranjo MI, Ubeda C, Hornedo-Ortega R, Garcia-Parrilla MC, Troncoso AM: Reported foodborne outbreaks due to fresh produce in the United States and European Union: trends and causes. *Foodborne Pathog Dis* 2015, 12:32-38, https:// doi.org/10.1089/fbp.2014.1821

- 14. Strosnider H, Azziz-Baumgartner E, Banziger M, Bhat RV, Breiman R, Brune M-N, DeCock K, Dilley A, Groopman J, Hell K, Henry SH, Jeffers D, Jolly C, Jolly P, Kibata GN, Lewis L, Liu X, Luber G, McCoy L, Mensah P, Miraglia M, Misore A, Njapau H, Ong CN, Onsongo MTK, Page SW, Park D, Patel M, Phillips T, Pineiro M, Pronczuk J, Rogers HS, Rubin C, Sabino M, Schaafsma A, Shephard G, Stroka J, Wild C, Williams JT, Wilson D: Workgroup report: public health strategies for reducing aflatoxin exposure in developing countries. Environ Health Perspect 2006, 114:1898-1903, https://doi.org/10.1289/ehp.9302
- 15. Stern VM, Smith RF, van den Bosch R, Hagen KS: The integrated control concept. *Hilgardia* 1959, **29**:81-101.
- Lewis WJ, van Lenteren JC, Phatak SC, Tumlinson JH III: A total system approach to sustainable pest management. PNAS 1997, 94:12243-12248.
- Stenberg JA: A conceptual framework for Integrated Pest Management. Trends Plant Sci 2017, 22:759-769, https://doi.org/ 10.1016/j.tplants.2017.06.010
- **18.** Stanley J, Preetha G: Pesticide Toxicity to Non-target Organisms. Springer; 2016.
- Schmidt-Jeffris RA, Beers EH, Sater C: Meta-analysis and review
 of pesticide non-target effects on phytoseiids, key biological control agents. Pest Manag Sci 2021, 77:4848-4862, https://doi. org/10.1002/ps.6531.

A meta-analysis of 154 published papers shows that specialist phytoseiids have more opportunities for resistance development. Furthermore, more robust generalizations about which pesticides are harmful for phytoseiids are made.

- Neuenschwander P, Borgemeister C, Langewald J: Biological Control in Integrated Pest Management Systems in Africa. CAB International; 2003:414.
- 21. Ihara M, Matsuda K: Neonicotinoids: molecular mechanisms of action, insights into resistance and impact on pollinators. *Curr* Opin Insect Sci 2018, 30:86-92.
- Egan PA, Dicks LV, Hokkanen HMT, Stenberg JA: Delivering Integrated Pest and Pollinator Management (IPPM). *Trends Plant Sci* 2020, 25:577-589, https://doi.org/10.1016/j.tplants.2020. 01.006
- 23. Rahman S: Green revolution in India: environmental degradation and impact on livestock. Asian J Water Environ Poll 2015, 12:75-80.
- Saini RK, Orindi BO, Mbahin N, Andoke JA, Muasa PN, Mbuvi DM, Muya CA, Pickett JA, Borgemeister C: Protecting cows in small holder farms in East Africa from tsetse flies by mimicking the odor profile of a non- host bovid. *PLoS NTD* 2017, 11:e0005977, https://doi.org/10.1371/journal.pntd.0005977
- Nicolopoulou-Stamati P, Maipas S, Kotampasi C, Stamatis P, Hens L: Chemical pesticides and human health: the urgent need for a new concept in agriculture. Front Public Health 2016, 4:1-8, https://doi.org/10.3389/fpubh.2016.00148
- Turton N, Heaton RA, Ismail F, Roberts S, Nelder S, Phillips S, Hargreaves IP: The effect of organophosphate exposure on neuronal cell coenzyme Q₁₀ status. *Neurochem Res* 2021, 46:131-139, https://doi.org/10.1007/s11064-020-03033-y
- 27. Richter S: One Health Scientific World we still remain too much in the academic area. Rural 21 2020, 54:38-39.
- Jepson PC, Murray K, Bach O, Bonilla MA, Neumeister L: Selection of pesticides to reduce human and environmental health risks: a global guideline and minimum pesticides list. Lancet Glob Health 2020, 4:e56-e63.
- 29. Giller KE, Hijbeek R, Andersson JA, Sumberg J: Regenerative
 agriculture: an agronomic perspective. *Outlook Agric* 2021, 50:13-25.

The paper argues that the renewed interest in regenerative agriculture is due to a reframing of agroecology and sustainable intensification under the same banner. It gives advice to research agronomists that want to engage in Regenerative Agriculture.

 Tamburini G, Bommarco R, Wanger TC, Kremen C, van der Heijden MGA, Liebman M, Hallin S: Agricultural diversification promotes multiple ecosystem services without compromising yield. *Sci Adv* 2020, 6:eaba1715.

 Pretty J, Benton TG, Bharucha ZP, Dicks LV, Butlar Flora C, Godfray HCJ, Goulson D, Hartley S, Lampkin N, Morris C, Pierzynski G, Vara Prasad PV, Raganold J, Rockström J, Pete S, Torne P, Wratten S: Global assessment of agricultural system redesign for sustainable intensification. Nat Sustain 2018, 1:441-446.

 Pickett JA, Woodcock CM, Midega CA, Khan ZR: Push-pull farming systems. Curr Opin Biotechnol 2014, 26:125-132, https:// doi.org/10.1016/j.copbio.2013.12.006